

THE SIEMON COMPANY

101 Princeton Road
Watertown, CT 06795

24 HR EMERGENCY CONTACT #: 1-800-255-3924

MATERIAL SAFETY DATA SHEET

**I. PRODUCT NAME LIGHTSPEED FIBER PRIMER
PRODUCT I.D. FT-PRBOT-L**

II. COMPOSITION

INGREDIENTS	CONCENTRATION%	C.A.S. #	ACGIH TLV
High Boiling Point Methacrylate	91-98	Trade Secret	---
Surfactant, Polyacrylate	1-5	Unknown	---
Cure accelerant	1-5	Trade Secret	---
Organo-Copper Salt	1-5	Trade Secret	---

III. CHEMICAL AND PHYSICAL PROPERTIES

Vapor Pressure: not defined Vapor Density: Heavier than Air
Solubility in Water: Insoluble Specific Gravity: 1.05
Boiling Point: N.A Appearance: black
Odor: mild

IV. FLAMMABILITY AND EXPLOSIVE PROPERTIES

Flash Point: > 200F (P.M.C.C.)
Recommended Extinguishing Agents: Water fog, water spray, foam, dry chemical or carbon dioxide
Hazardous Products Formed by Fire or Thermal Decomposition: Toxic fumes of carbon and nitrogen oxides may evolve upon exposure to heat.
Unusual Fire or Explosive Hazards: none
Compressed gases: none Solvents: none Pressure at 23C: N.A.

V. REACTIVITY DATA

Stability: Stable Hazardous Polymerization: Will not occur
Hazardous Decomposition Products: None known
Incompatibility: Oxidizers and reducers, amines, strong Lewis or mineral acids, thiosulfates.
Reaction of large volumes of this product with peroxides or amines can result in an exothermic reaction releasing smoke and toxic fumes.

VI. SPILL OR LEAK PROCEDURES

Dike area to prevent spreading. Absorb on vermiculite, sand or other inert absorbing material. Use vented disposal containers. Dispose of as a chemical waste in accordance with current local, state, and federal regulations.

VII. STORAGE AND HANDLING PROCEDURES

Storage: Avoid storage over 100F, exposure to strong light, contamination with incompatible materials.

Handling: Avoid prolonged or repeated breathing of vapor.

VIII. SHIPPING REGULATIONS

DOT and IATA Hazard Classification: Unrestricted Articles

Proper DOT Shipping Name: Unrestricted

IX. EMERGENCY TREATMENT

Eye Irritation: Immediately flush eyes with water for at least 15 minutes. Retract eyelids often. Get medical attention.

Skin Contact: Wash thoroughly with soap and water, remove contaminated clothing.

Inhalation: Remove person to fresh air. If breathing stops, administer artificial respiration. Get medical attention

Ingestion: Get medical attention/call Poison Control Center. Drink 1-2 glasses of water, do not induce vomiting. Do not give anything to an unconscious person.

X. PERSONAL PROTECTION

Respiratory: use proper positive air flow ventilation in work areas.

Skin: Avoid skin contact, wear impervious gloves and protective clothing if in direct contact with material.

Eyes: Wear safety goggles or side shield safety glasses.

XI. HEALTH HAZARD DATA

Hazard Categories: immediate delayed fire pressure reactivity

Potential Routes of Entry: skin inhalation ingestion

Symptoms of Overexposure: Possible skin and eye irritation on contact is likely.

Exposure limits:	ACGIH	OSHA	OTHER
------------------	-------	------	-------

Ingredients NONE

Target organs

Carcinogen

NTP	IARC	OSHA
-----	------	------

None	None	None
------	------	------

Sara Listed Ingredients: None

XII. PREPARATION INFORMATION

ISSUE DATE: 2/21/01 PREPARED BY: Robert Batson, Technical Director

This information is furnished without warranty, representation, or license of any kind, except that this information is accurate to the best of the Supplier's knowledge, or is obtained from sources believed by the Supplier to be accurate. No warranty is expressed or implied regarding the accuracy of this information or the results to be obtained from its use thereof. The Supplier assumes no responsibility for injuries proximately caused by use of the Material if reasonable safety procedures are not followed as stipulated in this Data Sheet. Additionally, the Supplier assumes no responsibility for injuries proximately caused by abnormal use of the Material even if reasonable safety procedures are followed. Buyer assumes the risk in its use of the Material.